



REFERENCE SK-ONE-T -OUTDOOR

DESCRIPTION

[PRODUCT VIDEO](#)



[USER GUIDE](#)



[QUICK START](#)



Get Started Instantly with Our Wireless IoT Temperature Sensor Starter Kit :

- Wireless Receiver/Gateway with LAN Output, IP67 casing (Ref: BeanGateway® Outdoor)
- Wireless IOT Temperature Sensor (ref: BeanDevice® ONE-T)
- 1x Free software to collect and display in real-time data measurement from the wireless temperature sensor (Ref: BeanScape® 2.4GHZ LITE)

MAIN FEATURES

- Temperature measurement range : - 50°C to +150°C (standard accuracy) or - 10°C to +60°C (high accuracy)
- Maximum radio range: 300 m (Line of Sight) , 30-80m (Non Line of Sight)
- Casing: Polycarbonate, Waterproof IP67 – Fire Protection : ULV94
- Primary cell capacity: Lithium-thionyl chloride battery with 2100 mAh capacity (AA size)
- Embedded data logger : up to 1 million data points

Beanair products are Made in Germany and are certified CE/FCC/Giteki

HOW IT WORKS ?

BeanDevice® 2.4GHz ONE-T
Wireless IOT Temperature
Sensor



BeanScape® 2.4GHz
Wireless IOT Supervision Software



IOT Gateway Outdoor Version


Wireless Link 2.4GHz

Ethernet LAN

WEBLINKS TO PRODUCTS

- Wireless IOT Temperature Sensors
- Wireless Receiver/Gateway
- Eco-friendly Monitoring Software

DRAWING



CONTACT US

Headquarter:

Buchholzer Straße 65, 13156
Berlin, Germany

Email:

info@beanair.com

Phone number:

+493066405051